

IDENTIFICATION OF DISCRETE-TIME DYNAMIC SYSTEMS USING
MODIFIED GENETIC ALGORITHM

ROBIAH AHMAD

A thesis submitted in fulfilment of the
requirements for the award of the degree of
Doctor of Philosophy

Faculty of Mechanical Engineering
Universiti Teknologi Malaysia

OCTOBER 2004

DEDICATION

To Abd. Rahman, Azmi Shafiq, Aisyah Nurhuda, Ariff Mustafa, Anis Fatina and
Aiman Hadif

ACKNOWLEDGEMENTS

All thanks belong to ALLAH, the Most Gracious, the Most Merciful and the source of this success.

I was honoured to have Associate Professor Dr. Hishamuddin Jamaluddin as my main supervisor and Associate Professor Dr. Mohammad Azlan Hussain as my co-supervisor. I would like to express my sincere appreciation for their guidance, support, patience and encouragement throughout my research. Without their suggestions and criticisms, this thesis would not been as it is presented now. Their technical advice significantly contributed to my research work.

I would also like to acknowledge Professor Dr. Ali Zalzala from University of Edinburgh, Scotland for his help during my stay at his research lab in year 2001. A great thanks to University of Malaya Chemical Engineering Lab for giving me the chance to have some technical data for my research work especially to Mohd Khairi for presenting the data.

I would also like to thank Universiti Teknologi Malaysia for giving me the chance to do this research by funding my PhD studies and librarians at Perpustakaan Sultanah Zanariah UTM for their assistance in getting the relevant materials.

For all my postgraduate friends and colleagues, thank you very much for giving me support all through out my studies and understanding my ups and downs. They have contributed this thesis in different ways as well as given support in various matters.

I would also like to thank to all my family members. To my late parents, Haji Ahmad bin Montel and Hajjah Laila Haji Baba, for their prayers and inspiration to start up this journey, to my mother-in-law, Hajjah Soppiah, for taking care all my children during my absence and to my brothers', Mohd Amir Ahmad and Azhar Ahmad, and also my sisters', Napisah Ahmad and Nor Afidah Ahmad families, for all their prayers.

Lastly and most importantly, I am also deeply appreciated to my beloved husband Abd. Rahman Abdul Rahim and children Azmi Shafiq, Aisyah Nurhuda, Ariff Mustafa, Anis Fatina and Aiman Hadif for their continuous moral support, patience and love.

ABSTRACT

The purpose of this study is to investigate the application of genetic algorithm (GA) in modelling linear and non-linear dynamic systems and develop an alternative model structure selection algorithm based on GA. Orthogonal least square (OLS), a gradient descent method was used as the benchmark for the proposed algorithm. A model structure selection based on modified genetic algorithm (MGA) has been proposed in this study to reduce problems of premature convergence in simple GA (SGA). The effect of different combinations of MGA operators on the performance of the developed model was studied and the effectiveness and shortcomings of MGA were highlighted. Results were compared between SGA, MGA and benchmark OLS method. It was discovered that with similar number of dynamic terms, in most cases, MGA performs better than SGA in terms of exploring potential solution and outperformed the OLS algorithm in terms of selected number of terms and predictive accuracy. In addition, the use of local search with MGA for fine-tuning the algorithm was also proposed and investigated, named as memetic algorithm (MA). Simulation results demonstrated that in most cases, MA is able to produce an adequate and parsimonious model that can satisfy the model validation tests with significant advantages over OLS, SGA and MGA methods. Furthermore, the case studies on identification of multivariable systems based on real experimental data from two systems namely a turbo alternator and a continuous stirred tank reactor showed that the proposed algorithm could be used as an alternative to adequately identify adequate and parsimonious models for those systems.

ABSTRAK

Kajian ini dilakukan bertujuan mengkaji penggunaan algoritma genetik (GA) dalam pemodelan sistem dinamik linear dan tak linear dan membangunkan kaedah alternatif bagi pemilihan struktur model menggunakan GA. Algoritma kuasa dua terkecil ortogon (OLS), satu kaedah penurunan kecerunan digunakan sebagai bandingan bagi kaedah yang dicadangkan. Pemilihan struktur model menggunakan kaedah algoritma genetik yang diubahsuai (MGA) dicadangkan dalam kajian ini bagi mengurangkan masalah konvergensi pramatang dalam algoritma genetik mudah (SGA). Kesan penggunaan gabungan operator MGA yang berbeza ke atas prestasi model yang terbentuk dikaji dan keberkesanan serta kekurangan MGA diutarakan. Kajian simulasi dilakukan untuk membanding SGA, MGA dan OLS. Dengan menggunakan bilangan parameter dinamik yang setara kajian ini mendapati, dalam kebanyakan kes, prestasi MGA adalah lebih baik daripada SGA dalam mencari penyelesaian yang berpotensi dan lebih berkebolehan daripada OLS dalam menentukan bilangan sebutan yang dipilih dan ketepatan ramalan. Di samping itu, penggunaan carian tempatan dalam MGA untuk menambah baik algoritma tersebut dicadangkan dan dikaji, dinamai sebagai algoritma memetik (MA). Hasil simulasi menunjukkan, dalam kebanyakan kes, MA berkeupayaan menghasilkan model yang bersesuaian dan parsimoni dan memenuhi ujian pengesahan model di samping memperolehi beberapa kelebihan dibandingkan dengan kaedah OLS, SGA dan MGA. Tambahan pula, kajian kes untuk sistem berbilang pemboleh ubah menggunakan data eksperimental sebenar daripada dua sistem iaitu sistem pengulang-alik turbo dan reaktor teraduk berterusan menunjukkan algoritma ini boleh digunakan sebagai alternatif untuk memperolehi model termudah yang memadai bagi sistem-sistem tersebut.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENTS	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	xii
	LIST OF FIGURES	xiv
	LIST OF ABBREVIATIONS	xix
	LIST OF SYMBOLS	xxi
CHAPTER 1	INTRODUCTION	1
1.1	Background of the research	1
1.2	Statement of the problem	4
1.3	Objectives	5
1.4	Scopes and limitation	5
1.5	Importance of the research	6
1.6	Research methodology	7
1.7	Research contributions	9
1.8	Outline of the thesis	9

CHAPTER 2	LITERATURE REVIEW	12
2.1	Introduction	12
2.2	Model structure representation	16
2.2.1	Linear model representation	18
2.2.2	Non-linear model representation	20
2.2.3	Summary	24
2.3	Parameter estimation algorithms	24
2.3.1	Least square method (LSM)	26
2.3.2	Orthogonal transformation method	27
2.3.3	Recursive least square	27
2.3.4	Least means square	28
2.3.5	Other algorithms	29
2.4	Model validity tests	29
2.5	Development in model structure selection tool	32
2.6	Development in system identification using genetic algorithm	35
2.7	Genetic algorithm: components and development	37
2.7.1	Representation	38
2.7.2	Evaluation and selection	38
2.7.3	GA operators	39
2.7.4	GA developments	41
2.8	Discussion and conclusion	43
CHAPTER 3	MODEL STRUCTURE SELECTION AND GENETIC ALGORITHM	45
3.1	Introduction	45
3.2	NARMAX model	46
3.3	Overview on GA	52
3.3.1	SGA procedure for model structure selection	53
3.3.2	Validation of the identified model	61
3.4	Model structure selection in system identification	62

3.5	Design and development of GA-based model structure selection algorithm	63
3.6	Validation of the proposed method	67
3.7	Discussion and conclusion	67
CHAPTER 4	MODIFIED GENETIC ALGORITHM FOR MODEL STRUCTURE SELECTION	69
4.1	Introduction	69
4.2	Problem and limitation	70
	4.2.1 Limitations in SGA	71
4.3	Modified genetic algorithm (MGA) for model structure selection	73
	4.3.1 Properties of MGA	73
	4.3.2 Implementation procedure	76
	4.3.3 Validation of the identified model	78
4.4	Investigation on MGA control parameters	80
	4.4.1 Studies on MGA control parameters	81
	4.4.2 Crossover and mutation	86
4.5	The comparison between SGA and MGA	89
4.6	Model structure selection using OLS and MGA	95
	4.6.1 Correlation tests	105
4.7	Discussion	108
4.8	Conclusion	119
CHAPTER 5	IMPROVING MODIFIED GENETIC ALGORITHM WITH LOCAL SEARCH	110
5.1	Introduction	110
5.2	Genetic algorithm and local search	111
	5.2.1 Local improvement	112

5.3	Memetic algorithm	113
5.3.1	Neighbourhood search	113
5.3.2	Local search	114
5.3.3	General procedure	115
5.4	Memetic algorithm in model structure selection	116
5.4.1	Implementation procedure	117
5.4.2	Model validity tests	118
5.5	Simulation studies	119
5.5.1	Comparative studies between SGA and MGA	121
5.5.2	Comparative studies between MGA-1, MGA-LS and MA	125
5.5.3	Identification of gas furnace	135
5.6	Discussion	138
5.7	Conclusion	139
CHAPTER 6	APPLICATION OF MEMETIC ALGORITHM IN MODELLING MULTI-INPUT MULTI-OUTPUT SYSTEMS	140
6.1	Introduction	140
6.2	Multivariable systems	141
6.2.1	Linear model representations	142
6.2.2	NARX model	144
6.3	Identification of a multivariable system based on MA	146
6.3.1	Model structure selection algorithm	147
6.3.2	Model validity tests	148
6.3.3	Validation of the algorithm	148
6.4	Case study I: Modelling turbo alternator	155
6.4.1	Description of the data	155
6.4.2	Identification of turbo alternator using MA	157
6.4.3	Model validity tests	158
6.5	Case study II: Modelling continuous stirred tank reactor (CSTR)	161

6.5.1 Jacketed continuous stirred tank reactor	162
6.5.2 Process model	165
6.5.3 Identification of CSTR using MA	167
6.5.4 Validation tests	168
6.6 Discussion and conclusion	175
CHAPTER 7 CONCLUSIONS AND FUTURE WORK	177
7.1 Introduction	177
7.2 Conclusion	178
7.3 Recommendations for future work	181
REFERENCES	183
APPENDIX	202

LIST OF TABLES

TABLE NO.	TITLE	PAGE
2.1	Some common types of model representation	19
2.2	Summary of different types of model structure in system identification	25
2.3	Different model structure selection tools in system identification	35
2.4	Genetic algorithms in system identification for polynomial models	37
2.5	Control parameters issue of GA	41
2.6	Hybrid GA	42
3.1	Summary of development phases of the proposed research study	66
4.1	Effect of population size on Error Index (<i>EI</i>)	84
4.2	Values for <i>EI</i> for varied crossover and mutation rate (System 1)	86
4.3	Values for <i>EI</i> for varied crossover and mutation rate (System 2)	86
4.4	Comparative results between SGA and MGA	95
4.5	Estimated model using OLS for System 7	98
4.6	Estimated model using MGA for System 7	99
4.7	Estimated model using OLS for System 8	101
4.8	Estimated model using MGA for System 8	102
4.9	Simulation results for System 7 and System 8	105
5.1	Objective function for different models	123
5.2	Model structures for System 9	124
5.3	Model structures for System 10	125

5.4	Results for System 9	127
5.5	Results for System 10	128
5.6	Results for System 11	129
5.7	Results for System 1	129
5.8	Identified model structure for System 12	134
5.9	Estimated model using MA for System 8	136
5.10	Comparison between OLS, MGA and MA	136
6.1	Identified structure for System 13	150
6.2	Identified structure for System 14	150
6.3	Identified model for System 15 using MA	158
6.4	Process parameters for jacketed CSTR	164
6.5	Identified model for System 16 using MA	168

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
1.1	Development procedures for the proposed research study	8
2.1	Classification of literature study on system identification and genetic algorithm	15
3.1	Outline of simple genetic algorithm	53
3.2	Single-point crossover	59
3.3	Multi-point crossover	60
3.4	Mutation	60
4.1	Modified genetic algorithm for model structure selection	75
4.2	Input and output data for System 1	83
4.3	Input and output data for System 2	83
4.4	The effect of varied population size on convergence of error for System 1	85
4.5	The effect of varied population size on convergence of error for System 2	85
4.6	Effect of varying mutation rate at $p_c = 0.05$ for System 1	87
4.7	Effect of varying mutation rate at $p_c = 0.6$ for System 1	87
4.8	Effect of varying mutation rate at $p_c = 0.95$ for System 1	88
4.9	Effect of varying crossover point for System 1	88
4.10	Effect of varying mutation rate at $p_c = 0.05$ for System 2	88

4.11	Effect of varying mutation rate at $p_c = 0.6$ for System 2	88
4.12	Effect of varying mutation rate at $p_c = 0.95$ for System 2	89
4.13	Effect of varying crossover point for System 2	89
4.14	Input and output data for System 3	90
4.15	Input and output data for System 4	91
4.16	Input and output data for System 5	91
4.17	Input and output data for System 6	92
4.18	Error convergence of SGA and MGA for System 3	93
4.19	Error convergence of SGA and MGA for System 4	93
4.20	Error convergence of SGA and MGA for System 5	94
4.21	Error convergence of SGA and MGA for System 6	94
4.22	Input and output data for System 7	96
4.23	Input and output data for System 8	97
4.24	Effects of input and output lags on the identification of System 7	97
4.25	Effects of input and output lags on the identification of System 8	97
4.26	System and predicted outputs for System 7	99
4.27	Residuals plot for System 7	100
4.28	Model predicted outputs and its residual plot for System 7	100
4.29	System and predicted outputs for System 8	102
4.30	Residuals plot for System 7	103
4.31	Model predicted outputs and its residual plot for System 8	104
4.32	Model validity test for System 7 identified using OLS	106
4.33	Model validity test for System 7 identified using MGA	106
4.34	Model validity test for System 8 identified using OLS	107

4.35	Model validity test for System 8 identified using MGA	107
5.1	Genetic algorithm and local search operation	112
5.2	Pseudo code for local search algorithm	114
5.3	Pseudo code for memetic algorithm	115
5.4(a)	Simulation procedure for MGA-1	120
5.4(b)	Simulation procedures for MGA-LS and MA	120
5.5	Input and output data for System 9	122
5.6	Input and output data for System 10	123
5.7	Input and output data for System 11	126
5.8	Simulation results for System 9	131
5.9	Simulation results for System 10	131
5.10	Simulation results for System 11	132
5.11	Simulation results for System 1	132
5.12	Input and output data for System 12	133
5.13	Simulation results for System 12	134
5.14	System output superimposed predicted output and the residual plot	135
5.15	System output superimposed model predicted output and the residual plot	136
5.16	Correlation tests of identified model for System 8 using memetic algorithm	137
6.1	The flow chart for model structure selection of MIMO system	147
6.2	Error convergence 1 for System 13	150
6.3	Error convergence 2 for System 13	150
6.4	System output 1 superimposed model output 1 for System 13	151
6.5	Residual 1 plot for System 13	151
6.6	System output 2 superimposed model output 2 for System 13	152
6.7	Residual 2 plot for System 13	152
6.8	Error convergence 1 for System 14	153

6.9	Error convergence 2 for System 14	153
6.10	System output 1 superimposed model output 1 for System 14	153
6.11	Residual 1 plot for System 14	153
6.12	System output 2 superimposed model output 2 for System 14	154
6.13	Residual 2 plot for System 14	154
6.14	Inputs of System 15	156
6.15	Outputs of System 15	156
6.16	Error convergence 1 for System 15	157
6.17	Error convergence 2 for System 15	157
6.18	Voltage deviation of the system $y_1(t)$ superimposed on the predicted voltage and its residual plot	159
6.19	Frequency deviation of the system $y_2(t)$ superimposed on the predicted frequency and its residual plot	160
6.20	Correlation tests for System 15	161
6.21	Continuous stirred tank reactor with cooling jacket	163
6.22	Normalised input and outputs data for jacketed CSTR	164
6.23	Error convergence 1 for System 16	167
6.24	Error convergence 2 for System 16	167
6.25	Reactor temperature of the system superimposed on predicted reactor temperature and its residual plot	169
6.26	Reactant concentration of the system superimposed on predicted reactant concentration and its residual plot	169
6.27	Model predicted output and its residual plot for output 1 of System 16	170
6.28	Model predicted output and its residual plot for output 2 of System 16	170

6.29	Correlation tests for System 16	172
6.30	Cross validation results of output 1 from data 2	173
6.31	Cross validation results of output 2 from data 2	173
6.32	Cross validation results of output 1 from data 3	174
6.33	Cross validation results of output 2 from data 3	174

LIST OF ABBREVIATIONS

AR	Auto-Regressive
ARMA	Auto-Regressive Moving Average
ARMAX	Auto-Regressive Moving Average with eXogenous input
ARX	Auto-Regressive with exogenous input
BJ	Box-Jenkins
CSTR	Continuous Stirred Tank Reactor
EA	Evolutionary Algorithm
EI	Error Index
EP	Evolutionary Programming
ERR	Error Reduction Ratio
ES	Evolutionary Strategy
FIR	Finite Impulse Response
GA	Genetic Algorithm
GP	Genetic Programming
IV	Instrumental Variable
LMS	Least Mean Square
LSM	Least Square Method
MA	Memetic Algorithm
MA	Moving Average
MGA	Modified Genetic Algorithm
MGA-LS	Modified Genetic Algorithm with Local Search
MIMO	Multi input multi output
ML	Maximum Likelihood
MLP	Multilayered Perceptron
MPO	Model Predicted Output
MSE	Mean Squared Error
NARMAX	Non-linear Auto-Regressive Moving Average with eXogenous input

NARX	Non-linear Auto-Regressive with eXogenous input
NN	Neural Network
OE	Output Error
OLS	Orthogonal Least Square
OSA	One Step Ahead
RBF	Radial Basis Function
RLS	Recursive Least Square
SGA	Simple Genetic Algorithm
SI	System identification
SISO	Single input single output
SSE	Sum Squared Error
VLSI	Very Large-Scale Integration

LIST OF SYMBOLS

$u(t)$	system input
$y(t)$	system output
t	time step
i	general integer index
a_i, b_i, c_i	coefficients of polynomial models
n, m	system orders
n_y, n_u and n_c	output, input and noise lags
M	maximum number of terms
d	time delay
$e(t)$	a random white noise
θ_i	unknown parameters
$h_{xo/ki}$	a homogeneous polynomial degree i
N	data length
k	general integer index
$f(.)$	non-linear function
$\phi_i(t)$	regressors
l	degree of non-linearity
$f^l(.)$	non-linear function of degree l
r	general model orders
$\varepsilon(t)$	error or residual sequence
\mathbf{W}	orthogonal matrix
P	covariance matrix
γ	gradient adjustment
ϕ	standard correlation function
$E[.]$	the expectation operator
δ	an impulse function

τ	general time lag
$F^l[.]$	a general non-linear polynomial function
$\hat{y}(t)$	predicted output
\hat{F}	estimated non-linear function f
μ	parents
λ	offsprings
p_m	mutation probability
p_c	crossover probability
j	general integer index
p	general integer index
L	maximum degree of non-linearity
c_i	chromosomes
f	general function
$J(\theta)$	mean square error
m_x	multi-point crossover
r_i	random sequence
B_t	total bits in the population
C_k	insignificant terms
J_p	variance contribution
J_B	bias contribution
P	initial population
P'	new population after MGA
P''	new population after MA
na	number of outputs
nb	number of inputs
L_i	polynomial degree of i th subsystem
F	flow rate (m^3/hr)
V	reactor volume (m^3)
C_{af}	Feed concentration ($\text{kg.mole}/\text{m}^3$)
C_a	Tank concentration
k_0	Pre-exponential factor(per hr)
$(-\Delta H)$	Heat of reaction (kcal/mole)

UA	Overall heat transfer coefficient (kcal/hour.K)
T	Reactor temperature
T_f	Feed temperature (K)
T_c	Coolant jacket temperature (K)
ρ	Density of water (kg/m ³)
C_p	Specific heat of water (kJ/kg/K)
R	Ideal gas constant (cal/mole.K)
E	Activation energy (kcal/hr)
A	Area for heat exchange

CHAPTER 1

INTRODUCTION

1.1 Background of the research

In practice, most control systems are complex, non-linear or time varying. Controlling such processes or systems need the knowledge of the mathematical equations of those processes or systems. Modelling a system is vital especially in the field of engineering and science since a major part of those fields deal with designing a system based on mathematical model. It is necessary to use model to describe the relationships among the system variables. This can be achieved by developing a mathematical model based on the information of input and output variables available from the process. This method of developing a mathematical model is known as “system identification”. The study of system identification is necessary to provide information before further analysis and decision can be made to a particular system. In some application of system identification, a mathematical model is developed for controller design and to simulate the actual system.

The identification of unknown system has been studied and literature on system identification can be found from various sources (Goodwin and Payne, 1977; Johansson, 1993; Ljung and Glad, 1994; and Ljung, 1999). Procedures involve in system identification (SI) are the acquisition of data, definition of model structure, parameter estimation and model validation. Basically a model is constructed based on the observed

data. Input and output data from a system is recorded and subject to analysis for modelling. The input-output data used to study system identification technique is usually obtained either using simulated or real experimental data. The simulated data is generated by computer model whereas the real data could come from real process plant. In this study, the input and output data used are both generated from simulated systems examples and data from real process plants.

In system identification, a model representation is defined to emulate the performance of the system to be modelled. The model representations used include continuous model, discrete model, parametric and nonparametric models and others. Once the model representation has been identified, the determination of the model structure is required. Many model structures identification applicable to linear and non-linear systems have been discussed and developed (Korenberg *et al.*, 1988; Miller, 1990; Veres, 1991; and Li and Jeon, 1993; Mao and Billings, 1997). The main task in model structure selection is to determine and select the significant terms to be included in the final model. Two design questions in model structure determination are choosing the right regressors and choosing the right non-linear mapping of the model. The possible choices of regressors include input and output observed data. A larger regression vector sometimes lead to over fitting and therefore an adequate number of regression terms which best describe the system will lower the variance of misfits is desirable.

There are various techniques of the non-linear mapping proposed by several researchers based on traditional approaches (Haber and Kevicsky, 1978; Billings, 1980 and Descrochers and Mohseni, 1984). However, simply expanding the system outputs in terms of its past input and output to non-linear model is impractical because the number of possible terms will be very large especially for complex system. Therefore, it is important to use algorithm that can detect only the significant terms to be included for model representation to ensure that the fitted model is adequate. There are several ways to determine the significant terms to be included in the selected model and various approaches had been proposed (Haber and Unbehauen, 1990). One of the most successful methods is orthogonal least square (OLS) algorithm (Korenberg *et al.*, 1988).

In this algorithm, the significance of the terms selected are measured based on error reduction ratios (*ERR*). However, high computational load is required (Mao and Billings, 1997).

In the last ten years, genetic algorithm (GA) has emerged as practical and robust searching method in optimisation problem. Genetic algorithm has been applied in diverse areas such as pattern recognition, robotics, VLSI technology, manufacturing and also biological applications (Chaiyaratana and Zalzala, 1997). GA is a stochastic search technique that resembles the natural biological evolution. GA is part of the larger class of evolutionary algorithms (EA) that includes evolutionary programming (EP), evolutionary strategies (ES) and genetic programming (GP). EA operates on a population of potential solutions and applies the principle of survival of the fittest, reproduction and mutation to produce a better approximation to a solution. At each generation, a new set of approximation is created by selecting individuals according to their level of fitness in the problem domain. The history of EA can be traced back as follows:

- (i) Genetic algorithm (GA) was proposed by John Holland (Holland, 1975) and popularised by David Goldberg (Goldberg, 1989)
- (ii) Evolutionary Programming (EP) was proposed by Lawrence Fogel (Fogel, 1963) and further developed by his son David Fogel (Fogel, 1992).
- (iii) Evolutionary Strategies (ES) was proposed by Ingo Rechenberg (Rechenberg, 1973) and strongly promoted by Thomas Bäck (Bäck, 1996)
- (iv) Genetic Programming (GP) was developed by John Koza (Koza, 1992).

One of EA components, genetic algorithm, is considered in this research as the search mechanism in system identification problems particularly for model structure selection. GA differs from the traditional searching and optimisation methods in four different perspectives (Goldberg, 1989):

- it searches a population of points in parallel and not at single point
- it uses probabilistic transition rules and not deterministic rules
- it requires the objective function and corresponding fitness level and not the derivative information
- it works on an encoding of the parameter set and not the parameter set itself

The study explored the advantages of genetic algorithm in solving model structure selection in identification of dynamical systems. Initially, the study investigated other model structure selection methods and their shortcomings were highlighted. Genetic algorithm properties were studied and problems associated with the algorithm were examined. The study also includes examining the components of GA to improve the convergence performance of the algorithm.

1.2 Statement of the problem

In conventional identification problems, a model structure is selected based on its model representation consisting of full expansion of the equation. The parameters of this model are then estimated. The parameter estimation methods used are normally based on least mean square or maximum likelihood estimate. The parameters are estimated by optimising the objective function based on gradient descent techniques. These methods suffer some drawbacks such as the solution may be trapped in local minima (Jacoby *et al.*, 1972). Orthogonal least square algorithm has successfully been applied as model structure selection tool (Billings *et al.*, 1989; Chen *et al.*, 1989; Mao and Billings, 1997). However, there are some disadvantages associated with this method and therefore, the study presents the need for developing alternative technique to enhance the proposed structure selection method for better identification results.

1.3 Objectives

The main objectives of this research are:

- (i) to develop an alternative model structure selection algorithm based on genetic algorithm that selects only the significant terms to be included in a final model and gives adequate and parsimonious model
- (ii) to improvise the proposed method for better identification results
- (iii) to evaluate the performance of the proposed algorithm for system identification in real data application

The rapid development in computer technology has contributed in the development of system identification techniques. The research will explore the use of genetic algorithm to solve model structure selection problems and to improve model performance. The identified models should have the following features: parsimonious, unbiased and high predictive accuracy.

1.4 Scopes and limitation

The research is subjected to the following scopes and limitations:

- (i) all the models considered in this study are linear and non-linear in the regression model.
- (ii) for fitting the regression, least square estimation is considered in the simulation studies.
- (iii) only systems with white noise are considered.

Throughout the research, few assumptions were adopted:

- (i) data is assumed available and reliable
- (ii) the application of the proposed algorithm to the jacketed continuous stirred tank reactor (CSTR) process begins when the process is already in a steady state condition

1.5 Importance of the research

The model representation used to represent a particular system under investigation will critically lead to the success of system identification as well as to the controller design procedures. Since the number of all possible candidate terms M is large as the order of input and output lags and the order of non-linearity increases, most model structure selection methods are difficult to handle since they require large computation time. Although some approaches would guarantee finding the model with high accuracy, testing all possible solutions is impractical because the number of possible paths for a model with M candidate terms is equal to $2^M - 1$ which will be extremely large if M is large.

An alternative approach for identifying parsimonious model especially for non-linear structures is needed and therefore being proposed. The algorithm will give simplicity to selecting model structure but uses the power of global characteristic in genetic algorithm to search for optimal solution without exhaustively testing every possible solution. The findings of the research will provide alternative ways to deal with model structure selection especially for non-linear systems as well as multivariable systems. Besides, an improved method for GA searching mechanism is hope to further improve the algorithm so that problems encounter in simple GA will be reduced.

1.6 Research methodology

The initial stage of the methodology for the study is based on system identification procedures:

- acquisition of either simulated or real data
- selection of a model structure
- estimation of parameters
- validation of the identified models

Initially, various model structure selection methods such as orthogonal least square (OLS) and GA are investigated to capture their effectiveness and shortcomings. Data used for case studies are both simulated and real experimental data. Genetic algorithm is adopted as a searching mechanism in finding the model structure. The established simple genetic algorithm (SGA) is investigated and problems associated with it are highlighted and model structure selection algorithm based on modified GA (MGA) is proposed. The identified model structures developed through the algorithm will propose model structures for system identification containing a set of parameters to be estimated. For parametric models, the most commonly used parameter estimation algorithms are based on gradient descent methods such as least square methods, maximum likelihood and others. Least square estimation is the most widely used. Comprehensive analysis, investigation and identification of problems associated with the proposed method are conducted and hybrid method using GA and local search called memetic algorithm (MA) is proposed for fine-tuning the search. To verify the identified models, the final stage in system identification is model validation. The purpose is to ensure that the model adequately represents the true system. The technique used involves statistical analysis between the residuals and the input. Finally, the proposed algorithm is applied to the identification of real experimental data obtained from multivariable systems. Two systems are investigated namely, a turbo alternator and a chemical process. Figure 1.1 summarises the methodology of the research study.




Figure 1.1 Development procedures for the proposed research study

1.7 Research contributions

The main contribution of the research is to provide an alternative approach for model structure selection in system identification. In order to explore the benefit of genetic algorithm in system identification problems, GA is used to optimise the search by automatically selecting the best model among all the possible models. For searching towards highly predictive model, a new selection strategy is proposed in order to find an effective search space in GA and it is called MGA.

Due to the randomness of GA operation, it is sometimes difficult to predict its performances. A new method that combines GA with other techniques is introduced to improve the problem of premature convergence in the algorithm and for better approximations in modelling the systems. The algorithm is hybridised with local search technique in order to fine-tune the genetic algorithm-based search and is called memetic algorithm (MA).

The developed model structure selection based on MA, which was originally derived for single-input single-output (SISO) systems, is extended to the identification of multi-input multi-output (MIMO) dynamic systems. A turbo alternator and a chemical process namely jacketed CSTR were chosen as case studies and real experimental data from these systems was used for validation of the algorithm.

1.8 Outline of the thesis

The thesis is composed of seven chapters. This chapter provides the introduction and background of the thesis while the rest of the chapters are described in the following paragraphs.

Chapter 2 reviews the non-linear system identification and genetic algorithm. The procedure involves in system identification such as the definition of model structure, parameter estimation and model validity tests are reviewed. Different types of model structure used as well as model structure selection tools for system identification problems are discussed and compared. Next, the development of genetic algorithm is also presented and the current researches on GA control parameters as well as the applications of GA in SI problems are also reviewed.

Chapter 3 studies genetic algorithm, its properties and its application in system identification. Initially, the description of polynomial model is presented to provide overview for model structure selection. This chapter also describes the working principle of GA and presents a procedure for model structure selection using GA. Finally, the design and development of the research study is presented and validation of the proposed algorithm is described.

Chapter 4 presents the development of modified genetic algorithm (MGA) and the simulation studies conducted using the proposed algorithm. Initially, issues encountered in simple genetic algorithm (SGA) are discussed to provide basis for the development of the proposed algorithm. Next, it describes the properties of MGA and step-by-step procedure of the algorithm. Three simulation studies were conducted and the results are discussed. First, the effect of different combinations of MGA operators on the performance of the model developed was studied. Secondly, the comparative studies between the identification using SGA and MGA were also conducted. Finally, the performance of the proposed algorithm was also compared to the model developed using orthogonal least square (OLS) algorithm. The adequacy of the developed models was tested using model validation tests to show that the proposed algorithm can be employed as an algorithm for model structure selection.

Chapter 5 introduces the integration of genetic algorithm with local search technique for fine-tuning the search. Memetic algorithm, an evolutionary algorithm incorporating local search technique for selecting model structure, is investigated in this

chapter and proposed to further improve the search ability in MGA. Comparative studies between MGA, OLS and MA for the selection of the model structure using a few case studies are also presented.

Chapter 6 studies the identification of multivariable dynamic discrete-time non-linear system using memetic algorithm. Model structure selection based on memetic algorithm, which was originally derived for single-input single-output systems, is extended to multi-input multi-output non-linear systems. The justification of the algorithm is presented using some simulated examples. This chapter also studies the application of the proposed algorithm in identifying adequate model structure of turbo alternator and a continuous stirred tank reactor or CSTR based on their observed data. The identified models are validated using correlation based model validity tests and the simulation results are presented.

Finally, chapter 7 summarises and concludes the work done in this study and discusses the possible extension of the studies for future research work.

would be interesting to explore different mechanism to choose these variables and offer more flexibility to the choice of model structure. In addition, this technique will also open more opportunities for wider range of model structure representation such as rational model, neural network model, radial basis function model and fuzzy logic model.

One of the disadvantages of conventional method is that it requires massive calculation based on its gradient descent method. The motivation of using GA as an alternative for model structure selection is its random search ability. Another possible alternative for continuation of this study would be to investigate the use of other random search techniques in system identification, particularly in model structure selection. Most of evolutionary algorithms are classified as random search techniques where they operate on a population of potential solutions and apply the principle of survival of the fittest, reproduction and mutation to produce better approximation to a solution. As mentioned earlier in Chapter 1, besides GA the other EA components are evolutionary programming (EP), evolutionary strategies (ES) and genetic programming (GP).

The use of local search technique in this study was also explored to improve search technique in identifying the non-linear dynamic systems known as memetic algorithm (MA). It would also be interesting to investigate the possibility to hybridise the method with other artificial intelligence strategies such as neural network or fuzzy logic.

Finally, a general structure of GA-based model structure selection has been provided in which some simulated and real experimental data have been used. The findings from the simulation studies provided a good reason for further investigation on different set of real experimental data. This study is worth being continued for further exploitation on a wider range of industrial application using real experimental data from that particular process or system.

REFERENCES

- Adler, D. (1993). Genetic Algorithms and Simulated Annealing: A Marriage Proposal. *IEEE Int. Conf. on Neural Networks*. 2: 1104-1109.
- Aguirre, L. A. (1997). On the Structure of Nonlinear Polynomial Models: Higher Order Correlation Functions, Spectra, and Term Clusters. *IEEE Trans. on Circuits and Systems-1: Fundamental Theory Applications*. May 1997. 44(5): 450-453.
- Aguirre, L. and Billings, S. A. (1994). *Improved Structure Selection for Nonlinear Models Based on Term Clustering*. Research Report No 509. Department of Automatic Control and Systems Engineering, University of Sheffield.
- Astrom, K. J. and Eykhoff, P. (1971). System Identification: A survey. *Automatica*. 7: 123-162.
- Bäck, T. (1996). *Evolutionary Algorithms in Theory and Practice*. New York: Oxford University Press.
- Bäck, T., Hammel, U. and Schwefel, H.P. (1997). Evolutionary Computation: Comments on the History and Current State. *IEEE Transaction on Evolutionary Computation*. 1(1): 3-17.
- Bäck, T. (2000). Mutation parameters. In: Back, T., Fogel, D. B., and Michalewics, T. (eds.). *Evolutionary Computation 2: Advanced Algorithms and Operators*. Bristol: Institute of Physics. 142-151.

- Baker, J. E. (1987). Reducing Biases and Inefficiency in the Selection Algorithm. In: J. J. Grefenstette. (ed.). *Genetic Algorithms and Their Applications: Proc. of the 2nd Int. Conf. on Genetic Algorithm*. New Jersey: Lawrence Erlbaum Assoc. 14-21.
- Beasley, D. (2000). Possible applications of evolutionary computation. In: Back, T., Fogel, D. B., and Michalewics, T. (eds.). *Evolutionary Computation 1: Basic Algorithms and Operators*. Bristol: Institute of Physics. 4-19.
- Bequette, B. W. (1998). *Process Dynamics Modeling, Analysis and Simulation*. Upper Saddle River, New Jersey: Prentice-Hall Inc.
- Billings, S. A. (1980). Identification of Nonlinear Systems: A survey. *Proc. Instn. Electr. Engr., Part D*. 127(6): 272-284.
- Billings, S. A. (1985). Introduction to Nonlinear Systems Analysis and Identification. In: K. Godfrey and P. Jones (eds.). *Signal Processing for Control*. New York: Springer-Verlag. 261-294.
- Billings, S. A. and Chen, S. (1989). Identification of Nonlinear Rational Systems Using a Prediction Error Estimation Algorithm. *International Journal of Systems Science*. 20: 467-494.
- Billings, S. A. and Fadzil, M. B. (1985). The Practical Application of Systems with Nonlinearities. *Proc. of the 7th IFAC Symposium on Identification and System Parameter Estimation*. York, U.K. 155-160.
- Billings, S. A. and Mao, K. Z. (1997). *Structure Detection for Nonlinear Rational Models Using Genetic Algorithms*, Research report q814235x. Dept. of Automatic Control and Systems Engineering, University of Sheffield, UK.

- Billings, S. A. and Mao, K. Z. (1998). *Model Identification and Assessment Based on Model Predicted Output*. Research report No. 714. Dept. of Automatic Control and Systems Engineering, University of Sheffield, UK.
- Billings, S. A. and Tao, Q. H. (1991). Model Validity Test for Non-linear Signal Processing Applications. *International Journal of Control*. 54(1): 157-194.
- Billings, S. A. and Voon, W. S. F. (1986a). Correlation Based Model Validity Tests for Non-linear Models. *International Journal of Control*. 44(1): 235-244.
- Billings, S. A. and Voon, W. S. F. (1986b). A Prediction Error and Stepwise-regression Estimation Algorithm for Non-linear Systems. *International Journal of Control*. 44(3): 803-822.
- Billings, S. A. and Zhu, Q. M. (1991). Rational Model Identification Using an Extended Least-square Algorithm. *International Journal of Control*. 54(3): 529-546.
- Billings, S. A., Chen, S. and Korenberg, M. J. (1989). Identification of MIMO Non-linear Systems Using a Forward-regression Orthogonal Estimator. *International Journal of Control*. 50(6): 2157-2189.
- Billings, S. A., Jamaluddin, H., and Chen, S. (1991) A Comparison of the Backpropagation and Recursive Prediction Error Algorithms for Training Neural Networks. *Mechanical Systems and Signal Processing*. 5(3): 233 – 255.
- Billings, S. A., Jamaluddin, H. B. and Chen, S. (1992). Properties of Neural Networks with Applications to Modeling Non-linear Dynamical Systems. *International Journal of Control*. 55(3): 193-224.

- Billings, S. A., Korenberg, M. J. and Chen, S. (1988). Identification of Nonlinear Output-affine Systems using an Orthogonal Least Square Algorithm, *Int. J. Systems Sci.* 19(8): 1559-1568.
- Blasco, X., Herrero, J. M., Martinez, M. and Senert, J. (2001). Nonlinear Parametric Model Identification with Genetic Algorithms. In: Mira, J. and Prieto, A. (eds). *Application to a Thermal Process. Lecture Notes in Computer Science*. Berlin: Springer-Verlag. 466-473.
- Booker, L. (1987). Improving Search in Genetic algorithms. In: Lawrence Davis (ed.). *Genetic Algorithm and Simulated Annealing: Research Notes in Artificial Intelligence*. Los Altos, California: Morgan Kaufman Pub. Inc. 61-73
- Booker, L. B., Fogel, D. B., Whitley, D., Angeline, P. J. and Eiben, A. E. (2000). Recombination. In: Back, T., Fogel, D. B., and Michalewics, T. (eds.). *Evolutionary Computation 1: Basic Algorithms and Operators*. Bristol: Institute of Physics. 256-307.
- Box, G. E. P, Jenkins, G. M. and Reinsel, G. C. (1994). *Time Series Analysis Forecasting and Control*. New Jersey: Prentice-Hall Inc.
- Branco, P. J. C. and Dente, J. A. (2000). A Fuzzy Relational Identification Algorithm and its Application to Predict the Behavior of a Motor Drive System. *Fuzzy sets and Systems*, 1(109): 343-354.
- Burke, E. K. Newall, J. P. and Weare, R. F. (1996). A memetic Algorithm for University Exam Timetabling, In: E. K. Burke and P. Ros, (eds.). *The Practice and Theory of Automated Timetabling, Lecture Notes in Computer Science*. Berlin: Springer, Berlin. 241-250.

- Caruana, R. A. and Schaffer, J. D. (1988). Representation and Hidden Bias: Gray vs. Binary Coding for Genetic Algorithms. *Proc. for the 5th Genetics Algorithms*, Los Angeles: Morgan Kaufman. 153 – 161.
- Chaiyaratana, N., and Zalzala, A. M. S. (1997). Recent Developments in Evolutionary and Genetic Algorithms: Theory and Application, *Conference on Genetic Algorithms in Engineering Systems: Innovation and Applications*. 446: 270-277.
- Chakraborty, G. and Chakraborty, B. (1999). Ideal Marriage for Fine Tuning in GA, *IEEE Int. Conf. on System, Man and Cybernetic*. October 12-15 Oct., Tokyo, Japan: IEEE.
- Chen, S. and Billings, S. A. (1988). Prediction-error Estimation Algorithm for Non-linear Output-affine Systems. *International Journal of Control*. 47(1): 309-332.
- Chen, S. and Billings, S. A. (1989). Representations of Nonlinear Systems: The NARMAX Model. *International Journal of Control*. 49(3): 1013-1032.
- Chen, S. and Billings, S. A. (1992). Neural Networks for Nonlinear Dynamic Systems Modelling and Identification. *International Journal of Control*. 56(2): 319-346.
- Chen, S., Billings, S. A. and Luo, W. (1989). Orthogonal Least Square Methods and Their Application to Non-linear System Identification. *International Journal of Control*. 50(5): 1873-1896.
- Chen, S., C. F. N. Cowan and P. M. Grant. (1991). Orthogonal Least Squares Learning Algorithm for Radial Basis Function Networks. *IEEE Trans. on Neural Networks*. 2: 302-309.

- Chen, S., Billings, S. A., Cowan, C. F. N. and Grant, P. M. (1990). Practical Identification of NARMAX Models Using Radial Basis Functions. *International Journal of Control*. 52(6): 1327-1350.
- Chipperfield, A. (1997). Introduction to Genetic Algorithms. In *Genetic Algorithms in Engineering System: IEEE Control Engineering Series 55*, Zalzala, A. M. S. and Fleming, P. J. (Eds.) The Inst. of Electrical Engineers.
- Davis, L. (1991). *Handbook of Genetic Algorithms*. New York: Van Nostrand Reinhold.
- Deb, K. (2000a). Introduction to Representation. In *Evolutionary Computation 1: Basic Algorithms and Operators*. Back, T., Fogel, D. B., and Michalewics, T. (Eds.). Bristol: Institute of Physics. 127-131.
- Deb, K. (2000b). Introduction to Selection. In *Evolutionary Computation 1: Basic Algorithms and Operators*. Back, T., Fogel, D. B., and Michalewics, T. (Eds.). Bristol: Institute of Physics. 166-171
- De Jong, K.A. (1975). *An Analysis of the Behavior of a Class of Genetic Adaptive Systems*. University of Michigan, Doctorial Dissertation.
- De Jong, K. A. (1999). Evolutionary Computation: Recent Developments and Open Issues. In: Miettinen, K., Niihtaanmaki, P. N., Makela, M. M. and Periaux, J. eds. *Evolutionary Algorithm in Engineering and Computing Science*. New York: John Wiley and Sons Inc.
- Desrochers, A. and Mohseni, S. (1984). On Determining the Structure of a Non-linear System. *International Journal of Control*. 40(5): 923-938.

- Digalakis, J. G. and Margaritis, K. G. (2000). An Experimental Study of Benchmarking Functions for Genetic Algorithms. *IEEE Int. Conf. on Systems, Man, and Cybernetics*, 8-11 October. Nashville, Tennessee: IEEE. 3810-3815.
- Eiben, A. E., Hinterding, R. and Michalewicz, Z. (2001). Parameter control. In: Back, T. Fogel, D. B. and Michalewicz, Z. eds. *Evolutionary Computation 2 Advanced Algorithms and Operators*. Bristol: IOP Publishing Ltd. 170- 187.
- Eshelman, L. J., Caruana, R. A. and Schaffer, J. D. (1989). Biases in the Crossover Landscape. In *Proceedings of the 3rd. Int. Conf. on Genetic Algorithms*, Schaffer, J. D. (Ed.), San Mateo, California: Morgan Kaufman Publishers. 10-19.
- Elanayar V.T., S. and Shin, Y.C. (1994). Radial Basis Function Neural Network for Approximation and Estimation of Nonlinear Stochastic Dynamic Systems. *IEEE Trans. on Neural Networks*. 5(4): 594-603.
- Fogel, D. B. (1992). Evolutionary Optimization. *Conference Record of the Twenty-Sixth Asilomar Conference on Signals, Systems and Computers*. 1(1): 409-414.
- Fogel, D. B. (1995). *Evolutionary Computation: Towards a New Philosophy of Machine Intelligence*. IEEE Press.
- Fogel, L. J. (1963). *Biotechnology : Concepts and Applications*. New Jersey: Prentice Hall.
- Fogel, D.B. and Anderson, R.W. (2000). Revisiting Bremermann's Genetic Algorithm I: Simultaneous Mutation of All Parameters. *Proc of Congress on Evolutionary Computation*. 16-19 July. La Jolla, California: IEEE. 1204 -1209.

- França, P. M. Mendes, A. and Moscato, P. A. (2001). Memetic Algorithm for the Total Tardiness Single Machine Scheduling Problem. *European Journal of Operational Research*. 132: 224-242.
- French, I. G., Cox, C. S. and Ho, C. K. S. (1997). Genetic Algorithms in Model Structure Controller Structure Identification. *Proc. Instn Mech Engrs, Journal of Systems and Control in Engr. Part I*. 211: 333-343.
- Gang, Z., Chuwu, P. and Mingzhu, Z. (2000). A Modified Genetic Algorithm Based on the Best Schemata and Its Application for Function Optimization. *Proceedings of the 3rd World Congress on Intelligent Control and Automation*, June 28-July 2. Hefei, P. R. China. IEEE: 615-618.
- Gen, M. and Cheng, R. (1997). *Genetic Algorithm and Engineering Design*. New York: John Wiley and Sons Inc.
- Goldberg, D. E. (1987). Simple Genetic Algorithms and the Minimal, Deceptive Problem (Chapter 6). In: Lawrence Davis (ed.). *Genetic Algorithms and Simulated Annealing: Research Notes in Artificial Intelligence*. Los Altos: Morgan Kaufman Pub. Inc.
- Goldberg, D. E. (1989). *Genetic Algorithms in Search, Optimization and Machine Learning*. Massachusetts: Addison-Wesley Publishing Company Inc..
- Goldberg, D. E., Deb, K. and Clark, J. H. (1992). Genetic Algorithms, Noise, and the Sizing of Populations. *Complex System*. 6: 333-362.
- Goodwin, G.C. and Payne R. L. (1977). *Dynamic System Identification: Experiment Design and Data Analysis*. New York: Academic Press.

- Gray, G. J., Weinbrenner, T. Murray-Smith, D. J., Li, Y. and Sharman, K. C. (1997). Issues in Nonlinear Model Structure Using Genetic Programming. *Genetic Algorithms in Engineering Systems: Innovations and Application*, 446: 308-313.
- Grefenstette, J. J. (1986). Optimization of Control Parameters for Genetic Algorithms. *IEEE Transaction on Systems, Man, and Cybernetics*, SMC-16(1): 122-128.
- Haber, R. and Keviczky, L. (1978). Identification of Nonlinear Dynamic Systems. In: Rajbman (ed.). *Identification and System Parameter Estimation*. North-Holland Publishing Company.
- Haber, R. and Unbehauen, H. (1990). Structure Identification of Nonlinear Dynamics Systems: A Survey on Input/output Approaches. *Automatica*. 26(4): 651-677.
- Haykin, S. (1994). *Neural Networks A Comprehensive Foundation*. New York: Macmillan College Publishing Company.
- He, J. and Kang, L. (1999). On the Convergence Rates of Genetic Algorithms. *Theoretical Computer Science*. 229: 23-39.
- Holland, J. H. (1975). *Adaptation in Natural and Artificial Systems*. 6th. ed. An Arbour: University of Michign Press.
- Hong, X. and Billings, S. A. (1999). Parameter Estimation Based on Stacked Regression on Evolutionary Algorithms. *IEE Proc. – Control Theory and Application*. 146(5): 406-414.
- Huang, P. and Chen, Y. R. (1999). Processing Data Patterns to Simplify the Identification of Fuzzy Model. *Int. Journal of System Science*. 30(5): 479 – 489.

- Hussain, M. H., Malik, M. S., Sulaiman, M. Z. and Abdul Wahab, A. K. (1999). Design and control of experimental partially simulated exothermic reactor system, *Regional Symposium on Chemical Engineering, Proceeding*, 22 - 24 November. Songkhla, Thailand. 2: B26-1-B26-4.
- Hussein, S. B., Jamaluddin, H., Mailah, M., and Zalzal, A. M. S. (2000). A Hybrid Intelligent Active Force Controller for Robot Arms using Evolutionary Neural Networks. *Proc. of the 2000 Congress on Evolutionary Computation*. 1: 117–124.
- Jacoby, S. L.S., Kowalik, J. S. and Pizzo, J. T. (1972). *Iterative Methods for Non-linear Optimization Problem*. New Jersey: Prentice Hall Inc.
- Jain, A. and Fogel, D.B. (2000). Case Studies in Applying Fitness Distributions in Evolutionary Algorithms. II. Comparing the Improvements From Crossover and Gaussian Mutation on Simple Neural Network. *IEEE Symp on Combinations of Evolutionary Computation and NN*. 91 –97.
- Jenkins, G. M. and Watts, D. G. (1968). *Spectral Analysis and Its Application*. San Francisco:Holden-Day.
- Jeong, I. K. and Lee, J. J. (1996). Adaptive Simulated Annealing Genetic Algorithm (ASAGA) for System Identification. *Engineering Application in Artificial Intelligence*. 9: 523-532.
- Johansson, R. (1993). *System Modeling and Identification*. New Jersey: Prentice-Hall International Inc.
- Kanal, L. and Kumar, V. (Eds.) (1988). *Search in Artificial Intelligence*. Berlin: Springer Verlag.

- Kemna, A. H., Larimore, W. E., Seborg, D. E. and Mellicamp, D. A. (1994). On-line Multivariable Identification and Control of Chemical Process using Canonical Variate Analysis. *Proceedings of the American Control Conference*. June. Baltimore, Maryland: IEEE, 1650 –1654.
- Komatsu, K., Ishihara, T. and Inooka, H. (1999). Genetic Algorithm with Redundant Chromosome and its Application to Control Systems Design. *IEEE International Conference on Systems, Man and Cybernetics*, 5: 547-552.
- Korenberg, M., Billings S. A., Liu, Y. P. and McIlroy, P. J. (1988). Orthogonal Parameter Estimation Algorithm for Non-linear Stochastic Systems. *International Journal of Control*. 48(1): 193-210.
- Koza, J. (1992). *Genetic Programming: On the Programming of Computers by Means of Natural Selection*. Massachusetts: MIT Press.
- Krasnogor, N. and Smith, J. (2000). A Memetic Algorithm with Self-adaptive Local Search: TSP as A Case Study, In: D. Whitley, D. Golberg, E. Cantu-Paz and L. Spector, (eds.). *Proc. GECCO-2000*, Las Vegas, Nevada: Morgan-Kaufman. 987-994.
- Kristinsson, K. and Dumont, G. A. (1992). System Identification and Control Using Genetic Algorithms. *IEEE Transactions on Systems, Man and Cybernetics*. 22(5): 1033-1046.
- Leontaritis, I. J. and Billings, S. A. (1985). Input-output Parametric Models for Non-linear Systems. Part I: Deterministic Non-linear Systems. *International Journal of Control*. 41(2): 303-328.
- Li, C. J. and Jeon, Y. C. (1993). Genetic Algorithm in Identifying Nonlinear Auto Regressive with eXogenous Input Models for Nonlinear Input Models for Nonlinear

- Systems. *Proceedings of the American Control Conference*. San Francisco California: 2305-2309.
- Lin, F. T., Kao, C. Y. and Hsu, C. C. (1993). Applying the Genetic Approach to Simulated Annealing in Solving Some NP-hard Problems. *IEEE Transactions on Systems, Man and Cybernetics*. 23(6): 1033-1046.
- Liu, Y., Ma, L. and Zhang, J. (2000). GA/SA/TS Hybrid Algorithms for Reactive Power Optimization. *Power Engineering Society Summer Meeting*. Seattle, Washington: IEEE, 245 – 249.
- Ljung, L. (1999). *System Identification Theory for the User*. New Jersey: Prentice-Hall Inc.
- Ljung, L. and Glad. T. (1994). *Modeling of Dynamic System*. New Jersey: Prentice-Hall Inc.
- Luh, G.G. and Rizzoni, G. (1998). Nonlinear System Identification Using Genetic Algorithms with Application to Feedforward Control Design. *Proceedings of the American Control Conference*, Philadelphia, Pennsylvania: IEEE, 2371-2375.
- Luh, G. C. and Wu, C. Y. (1999). Non-linear System Identification Using Genetic algorithms, *Proc. Instn Mech Engrs, Journal of Systems and Control in Engr., Part I*. 214: 105-118.
- Luh, G. C. and Wu, C. Y. (2000). Inversion Control Nonlinear System with and Inverse NARX Model Identified Using Genetic Algorithms. *Proc. Instn Mech Engr. Part I*. 214: 259-271.
- Luyben, W. L. (1990). *Process Modeling, Simulation, and Control for Chemical Engineers*, International Ed. Singapore: McGraw-Hill.

- Mahfoud, S. W. (2000). Boltzman Selection. In: Back, T., Fogel, D. B. and Michalewics, T. (eds.). *Evolutionary Computation 1: Basic Algorithms and Operators*. Bristol: Institute of Physics.
- Mashor, M. Y. (1999). Some Properties of RBF Network with Applications to System Identification. *International Journal of Computer and Engineering Management*, 7(1): 34-56.
- Mao, K. Z. and Billings, S. A. (1997). Algorithms for Minimal Model Structure Detection in Nonlinear Dynamic System Identification. *International Journal of Control*. 68(2): 311-330.
- Mao, S. Y. and Lin, P. X. (1988). A Test of Nonlinear Autoregressive Models. *Int. Conf. On Acoustic, Speech and Signal Processing, ICASSP-88*. 4: 2276-2279.
- McKay, B., Willis, M. and Barton, G. (1997). State-space Modeling of Chemical Process Systems Using Genetic Programming. *Computers Chem. Engng*. 21(9): 981-996.
- McElveen, J. K., Lee, K. R. and Bennet, J. E. (1992). Identification of multivariable linear systems from input/output measurements. *IEEE Transactions on Industrial Electronics*. 39(3): 189-193.
- Menold, P., Allgower, F. and Person, R. K. (1997). Nonlinear Structure Identification of Chemical Processes. *Computers Chem. Engng*. 21:S317-S142.
- Merz, P. (2000). *Memetic Algorithm for Combinatorial Optimization Problems: Fitness Landscape and Effective Search Strategies*. Dept. of Electr. Engr. and Computer Science, University of Siegen, Germany : PhD. Thesis.

- Merz, P. and Freisleben, B. (1999). A Comparison of Memetic Algorithms, Tabu Search, and Ant Colonies for the Quadratic Assignment Problem, *Proc. Congress on Evolutionary Computation*. IEEE: 2063-2070.
- Michalewicz, Z. (1999). *Genetic Algorithms + Data Structure = Evolution Programs*. 3rd ed. Berlin: Springer Verlag.
- Mitchell, M. (1996). *An Introduction to Genetic Algorithms*. Massachusetts: MIT Press.
- Miller, A. J. (1990). *Subset Selection in Regression*. London: Chapman and Hall.
- Minerva, T. and Poli, I., (2001). Building ARMA Models with Genetic Algorithms. In: Boers, E. J. W. *et al.*, (eds.). *Lecture Notes in Computer Science*. Berlin, Heidelberg: Springer-Verlag.
- Mohd Shafiek Yaacob. (2004). *Identification of Non-linear Dynamic Systems Using Fuzzy System with Constrained Membership Functions*. Universiti Teknologi Malaysia. PhD. Thesis.
- Moscato, P. (1989). On Evolution, Search, Optimization, Genetic Algorithms and Martial Arts: Towards Memetic Algorithm. Tech. Report, 826, California Institute of Technology, Pasadena, California, USA.
- Muhlenbein, H. and Schlierkamp-Voosen, D. (1994). The Theory of Breeding and the Breeder Genetic Algorithm. In: Stender, J., Hillebrand, E. and Kingdon, J. (eds.). *Genetic Algorithms in Optimization, Simulation and Modelling*. Amsterdam: IOS Press. 27-62.
- Munzir, S., Mohamed, H. M. and Abdulmuin, M. Z. (2000). A New Approach for Modeling and Control of MIMO Nonlinear Systems. *Proceedings TENCON*, Kuala Lumpur, Malaysia. 3: 489-497.

- Murata, T., Ishibuchi, H. and Gen, M. (1998). Neighborhood Structures for Genetic Local Search Algorithms. In: Jain, L. C. and Jain, R. K. (eds.). *Second International Conference on Knowledge-based Intelligent Electronic Systems*, April 21-23. Adelaide, Australia. 259-263.
- Narendra K. S. and Parthasarathy, K. (1990). Identification and Control of Dynamical Systems Using Neural Networks. *IEEE Transactions on Neural Networks*. 1(1): 4-15.
- Nougues, J. M., Grau, M. D. and Puigjaner, L. (2002). Parameter Estimation with Genetic Algorithm in Control of Fed-batch Reactors. *Chemical Engineering and Processing*. 41: 303-309.
- Papadapoulous, S., Mack, R. J. and Massara, R. E. (2000). A Hybrid Genetic Algorithms Method for Optimizing Analog Circuits. *Proc. 43rd IEEE Symp. on Circuits and Systems*. August 8 – 11. Lansing, Michigan: IEEE. 140 – 143.
- Potts, J. C., Giddens, T. D. and Yadav, S. B. (1994). The Development and Evaluation of an Improved Genetic Algorithm Based on Migration and Artificial Selection. *IEEE Transaction on Systems, Man, and Cybernetics*. 24(1): 73-86.
- Qi, J. G., Burns, G. R. and Harrison, D. K. (2000). The Application of Parallel Multipopulation Genetic Algorithms to Dynamic Job-shop Scheduling. *Int. J. Adv. Manuf. Technology*. 16: 609-615.
- Qingsheng, R., Jin, Z. and Zhongxing, Y. (2000). Analysis of Common Genetic Operators. *Proceedings of 5th International Conference on Signal Processing*. 1684-1687.

- Radcliffe, N. J. and Surry, P. D. (1994). Formal Memetic Algorithm, In: T. Fogarty, ed., *Evolutionary Computing: AISB Workshop Berlin*: Springer-Verlag. 1-14.
- Ranganath, M., Renganathan, S. and Gokulnath, C. (1999). Identification of Bioprocess using Genetic Algorithm. *Bioprocess Engineering*, 21: 123-127.
- Rechenberg, I. (1973). *Evolutionstrategie: Optimierung technischer Systeme nach Prinzipien der biologischen Evolution*, Stuttgart: Stuttgart, Fromman-Holzboog Verlag.
- Renders, J. M. and Flasse, S. P. (1996). Hybrid Methods Using Genetic Algorithms for Global Optimization. *IEEE Trans. on System, Man, and Cybernetics- Part B*. 26(2): 243-256.
- Rodriquez-Vazquez, K. and Fleming, P. J. (1997). A Genetic Programming/NARMAX Approach to Nonlinear System Identification. *Genetic Algorithms in Engineering Systems: Innovations and Application*. 2-4 September. 446: 409-414.
- Schetzen, M. (1980). *The Volterra and Wiener Theories for Nonlinear Systems*. New York: John Wiley and Sons Inc.
- Schmitt, L. M. (2001). Fundamental Study: Theory of Genetic Algorithms. *Theoretical Computer Science*. 259: 1-61.
- Seifipour, N. and Menhaj, M. B. (2001). A GA-based Algorithm with a Very Fast Rate of Convergence. *Fuzzy Days. LNCS*. 2206: 185-193.
- Sheta, A. F. (1997). *Identification and Control of Dynamical Systems Using Genetic Algorithm*. George Mason University, Virginia, USA: Ph.D. Thesis.

- Sheta, A. F. and De Jong, K. (1996). Parameter Estimation of Nonlinear Systems in Noisy Environments Using Genetic Algorithms. *Proceedings of the 1996 IEEE International Symposium on Intelligent Control*. September 15-18. Dearborn, Michigan: IEEE. 360-365.
- Sinha, N. K. (2000). System Identification: From Frequency Response to Soft Computing. *Proceedings of the IEEE International Conference on Industrial Technology 2000*. January 19-22. 1: 76-80.
- Sjöberg, J., Zhang, Q., Ljung, L., Benveniste, A., Deylon, B., Glorennec, P., Hjalmarsson, H. and Juditsky, A. (1995). Non-linear Black-box Modeling in System Identification: A Unified Overview. *Automatica*. 31(12): 1691-1724
- Smith, R. E. (2000). Population sizing. In *Evolutionary Computation 2: Advanced Algorithms and Operators*. Back, T., Fogel, D. B., and Michalewics, T. (Eds.). Bristol: Institute of Physics. 134-141.
- Söderstrom, T. and Stoica, P. (1989). *System Identification*. Hertfordshire: Prentice-Hall.
- Sontag, E. D. (1979). Polynomial Response Maps. *Lecture Notes in Control and Information Science*. 13. Berlin: Springer-Verlag.
- Srinivas, M. and Patnaik, L.M. (1994). Genetic Algorithms: A Survey. *IEEE Computer*, 27(6): 17 –26.
- Stoica, P. and Jansson, M. (1999). A transfer function approach to MIMO system identification. *Proceedings of the 38th. Conference on Decision and Control*. December. Phoenix, Arizona, USA. IEEE: 2400-2405.

- Syswerda G. (1989). Uniform Crossover in Genetic Algorithms. *Proc. of 3rd. Int. Conf. on Genetic Algorithms and Applications*. Schaffer, J. D. (Ed.). San Manteo, California: Morgan Kaufman. 2 – 9.
- Tagaki, T. and Sugeno, M. (1985). Fuzzy Identification of Systems and Its Applications to Modeling and Control. *IEEE Transactions on Systems, Man, and Cybernetics*, SCM-15(1): 116-132.
- Tan, K. C. and Li, Y. (1997). Evolutionary system identification in the time domain. *Proc. Instn Mech Engrs, Journal of Systems and Control in Engr. Part I*, 211: 319-323.
- Tan, K. C., Li, Y., Murray-Smith, D. J. and Sharman, K. C. (1995). System Identification and Linearisation Using Genetic algorithms with Simulated Annealing, *First IEE/IEEE International Conference of Genetic Algorithms in Engineering Systems: Innovation and Application*, Sheffield, U.K: IEEE. 164-169.
- Tang, K. S., Man, K. F., Kwong, S. and He, Q. (1996). Genetic Algorithms and Their Applications. *IEEE Signal Processing Magazine*. November. 27 – 37.
- Veres, S. M. (1991). *Structure Selection of Stochastic Dynamic Systems*. New York: Gordon and Breach Science Publishers.
- Wang, L. and Langari, R. (1995). Building Sugeno-Type Models using Discretization and Orthogonal Parameter Estimation Techniques. *IEEE Transactions on Fuzzy Systems*, 3(4): 454-458.
- Whitley, D. Gordon, V. and Mathias, K. (1994) Lamarckian Evolution, the Baldwin Effect and Function Optimization. In: Davidor, Y., Schwefel, H. P., Manner, R. (eds.). *Parallel Problem Solving from Nature-PPSN III* 866. Berlin, Springer-Verlag. 6-15.

- Yao, L. and Seetheres, W. A. (1994). Nonlinear Parameter Estimation Via Genetic Algorithm. *IEEE Transactions on Signal Processing*. 42(4): 927-935.
- Yen, J. and Wang, L. (1999). Simplifying Fuzzy Ruled-based Models using Orthogonal Transformation Methods, *IEEE Transactions on Systems, Man, and Cybernetics – Part B*. 29(1): 13-24.
- Yingwei, L., Sundararajan, N. and Saratchandran, P. (1997). Identification of Time-varying Nonlinear Systems Using Minimal Radial Basis Function Neural Networks. *IEE Proceedings- Control Theory and Applications*. 144(2): 202 –208.
- Youssef, H., Sait, S. N. and Adiche, H. (2001). Evolutionary Algorithms, Simulated Annealing and Tabu Search: A Comparative Study. *Engineering Applications of Artificial Intelligence*. 14: 167-181.
- Zibo, Z. and Naghdy, F. (1995). Application of Genetic Algorithms to System Identification. *IEEE International Conference on Evolutionary Computation*. 2: 777-787.
- Zheng, G. L. and Billings, S. A. (1999). Qualitative Validation and Generalization in Non-linear System Identification. . *International Journal of Control*. 72(17): 1592-1608.
- Zhu, Q. M. and Billings, S. A. (1993). Parameter Estimation for Stochastic Nonlinear Rational Models. *International Journal of Control*. 57(2): 309-333.